



INKBIRD 308 WiFi Digital Thermostat

Produktbilder

WIFI  **Temperature control**



Support °C/°F



Heating & cooling output



Dual screens display



Compressor delay protection



High and low temp alarms




Save settings Permanently




Temperature calibration





Download "Inkbirdsmart" APP in google Play Store or Apple Store.



WiFi Temperature control

- Supports °C/°F
- Dual relay output
- High and low temp alarms
- Dual display window
- Compressor delay protection
- Save settings permanently



INKBRID 308 WiFi Digital Thermostat

WiFi & App: WiFi Smart Controller unterstützt sowohl IOS & Android, WiFi unterstützt 2.4GHz Wi-Fi-Router, kostenlose APP "InkbirdSmart", die in der Lage ist, die Temperatur jederzeit zu überwachen.

Dual-Relais-Ausgang: Dual-Relais-Ausgang, die Heizung und Kühlung Gerät zur gleichen Zeit verbinden können.

Alarm für Sicherheit: Alarm für hohe/niedrige Temperaturgrenzwerte.

Convenient Design: Plug-n-play, einfach zu bedienen. Unterstützt °C/°Flesen und Temperaturkalibrierung.

Technische Details

Spannungsversorgung	100 ~ 240 Vac 50/60 Hz
Maximale Wattleistung	1200W (120Vac), 2200W (220Vac)
Typ der Temperatursonde	R25°C = 10kOhm 1%; R0°C = 26,74 ~ 27,83 kOhm
Typ der Temperaturmessbereich	-40°C bis 100°C
Genauigkeit der Temperaturanzeige	0,1 °C
Umgebungstemperatur	-20°C bis 60°C
Lagertemperatur	0°C bis 60°C
Lagerfeuchtigkeit	20 bis 80%RH

Mehr Informationen

Lieferzeit

3 - 4 Werktage*

Lieferumfang

INKBRID 308 WiFi Digital Thermostat
Bedienungsanleitung

